

<b>AD 3</b>	<b>HELIPORTS</b>
<b>AD 3.1</b>	<b>HELIPORT LOCATION INDICATOR AND NAME</b>
<b>3.1.1</b>	<b>  AURUM METALS HELISTOP (453)</b>

**AD 3.2 HELIPORT GEOGRAPHICAL AND ADMINISTRATIVE DATA**

1	Heliport reference point coordinates and site at heliport	REF Point: 26 13 33.7 S 028 26 36.8 E
2	Direction and distance from city	NIL INFO AVBL
3	Elevation/Reference temperature	ELEV: 5230FT
4	Geoid undulation at heliport elevation position	NIL INFO AVBL
5	MAG VAR / Annual change	NIL INFO AVBL
6	Heliport Operator, address, telephone, telefax, e-mail address, AFS address and, if available, website address.	Authority and Remarks: Aurum Metals Pty (Ltd) 125 Enstra Road East-Geduld, Selcourt, Springs, 1567 CELL: +27 83 556 5951 E-mail: arthur@aurummetals.com
7	Types of traffic (IFR/VFR)	VFR daylight operations only.
8	Remarks	Private use.

**AD 3.3 OPERATIONAL HOURS**

1	Heliport Operator	SR - SS
2	Customs and immigration	NIL
3	Health and sanitation	NIL
4	AIS Briefing office	NIL
5	ATS reporting office (ARO)	NIL
6	MET briefing office	NIL
7	ATS	NIL
8	Fuelling	NIL INFO AVBL
9	Handling	NIL INFO AVBL
10	Security	NIL
11	De-icing	NIL INFO AVBL
12	Remarks	Security Manager: +27 83 556 5951

**AD 3.4 HANDLING SERVICES AND FACILITIES**

1	Cargo-handling facilities	NIL INFO AVBL
2	Fuel and Oil types	NIL INFO AVBL
3	Fuelling facilities and capacity	NIL INFO AVBL

**AD 3.5-2****HELISTOP DIRECTORY**

4	De-icing facilities	NIL INFO AVBL
5	Hangar space for visiting aircraft	NIL INFO AVBL
6	Repair facilities for visiting aircraft	NIL INFO AVBL
7	Remarks	NIL

**AD 3.5 PASSENGER FACILITIES**

1	Hotels	NIL INFO AVBL
2	Restaurants	NIL INFO AVBL
3	Transportation	NIL INFO AVBL
4	Medical facilities	NIL INFO AVBL
5	Bank and Post Office	NIL INFO AVBL
6	Tourist office	NIL INFO AVBL
7	Remarks	NIL

**AD 3.6 RESCUE AND FIRE FIGHTING SERVICES**

1	Heliport category for fire fighting	NIL
2	Rescue equipment	1 X 50 KG Dry Chemical Powder trolley 1 X 50 KG Foam trolley
3	Capability for removal of disabled aircraft	NIL INFO AVBL
4	Remarks	3 X Metal First aid kit South African Police Services Springs: +27 11 365 5700 Metro Police: +27 11 999 8660 Springs Fire Department: +27 11 458 0911

**AD 3.7 SEASONAL AVAILABILITY - CLEARING**

1	Types of clearing equipment	NIL INFO AVBL
2	Clearance priorities	NIL INFO AVBL
3	Remarks	NIL INFO AVBL

**AD 3.8 APRONS, TAXIWAYS AND CHECK LOCATIONS DATA**

1	Apron/helicopter surface and strength	NIL INFO AVBL
2	Taxiways width, surface and designation	NIL INFO AVBL
3	Air taxiway width and designation	NIL INFO AVBL
4	Altimeter checkpoint location and elevation	NIL INFO AVBL
5	VOR check points	NIL INFO AVBL
6	INS check points	NIL INFO AVBL
7	Remarks	NIL

**AD 3.9 MARKINGS AND MARKERS**

1	Final approach and take-off markings	NIL INFO AVBL
2	TWY, air TWY, air transit route markers	NIL INFO AVBL

3	Remarks	NIL
---	---------	-----

**AD 3.10 HELIPORT OBSTACLES**

In approach / TKOF areas			In circling area and at AD		Remarks
1			2		3
RWY / area affected	Obstacle type Elevation Markings / LGT	Coordinates	Obstacle type Elevation Markings/LGT	Coordinates	-
a	b	c	a	b	-
NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL	NIL

**AD 3.11 METEOROLOGICAL INFORMATION PROVIDED**

1	Associated MET office	NIL
2	MET office responsible outside hours	NIL
3	Office responsible for TAF preparation and periods of validity	NIL
4	Type of trend forecast and interval of issuance	NIL
5	Briefing / consultation provide	NIL
6	Flight documentation / language(s) used	NIL
7	Charts and other information available for briefing or consultation	NIL
8	Supplementary equipment available for providing information	NIL
9	ATS units provided with information	NIL
10	Additional information (limitation of service, etc.)	NIL

**AD 3.12 HELIPORT DATA**

1	Heliport type	NIL INFO AVBL
2	TLOF dimensions	15 M diameter Concrete
3	FATO, GEO bearings	NIL INFO AVBL
4	FATO dimensions and SFC type	20 M diameter Concrete
5	TLOF, SFC and BRG strength	Concrete area, built for purpose inside plant 10 000 KG
6	Coordinates of geometric centre TLOF or THR of FATO and geoid undulation	NIL INFO AVBL

**AD 3.13-4**

**HELISTOP DIRECTORY**

7	TLOF/FATO, elevation and slope	Slopes of touchdown area: Longitudinal/Lateral slope: 1:50 Safe approach slope: 1:8 Slopes of transitional surface: 1:2
8	Safety area dimensions	NIL INFO AVBL
9	HEL CWY dimensions	NIL INFO AVBL
10	Obstacle-free sector	NIL INFO AVBL
11	Remarks	Landing and take off directions: Landing/Take Off 290° M/320° M Peripheral area: 3 M Type of Helicopter: Bell 206

**AD 3.13 DECLARED DISTANCES**

	TODAH(M)	RTODAH(M)	LDAH(M)	Remarks
	1	2	3	4
NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL
NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL

**AD 3.14 APPROACH AND FATO LIGHTING**

1	APP LGT system type, LEN, INTST	NIL
2	Type of visual approach slope indicator system	NIL
3	FATO area LGT characteristics and location	NIL
4	Aiming point LGT characteristics and location	NIL
5	TLOF LGT system characteristics and location	NIL
6	Remarks	NIL

**AD 3.15 OTHER LIGHTING, SECONDARY POWER SUPPLY**

1	Heliport BCN location, characteristics and hours of operation	NIL
2	WDI location & LGT and anemometer location and LGT	NIL
3	TWY edge and centre line lighting	NIL
4	Secondary power supply and switch-over time	NIL
5	Remarks	NIL

**AD 3.16 ATS AIRSPACE**

1	Designation and lateral limits	NIL
2	Vertical limits	NIL

