

INSTRUMENT APPROACH CHART FOR FAC RWY 10

Serial Number	Path Descriptor	Waypoint Identifier	LATITUDE	LONGITUDE	Flyover	FIX	Course °M(°T)	Distance (NM)	Turn Direction	Altitude (FT)	Speed (KT IAS)	VPA/TCH	Magnetic Variation (°W)	Navigation Specification
10	IF	DUKVO	34° 07' 20.160" S	024° 40' 33.030" E	-	IAF	-	-	-	+4400	-	-	28.28	RNP APCH
20	TF	CF1T1	34° 12' 17.320" S	024° 41' 26.930" E	-	IF	200 (170.72)	5	-	+2300	-	-	28.28	RNP APCH
10	IF	XABIS	34° 17' 14.470" S	024° 42' 20.940" E	-	IAF	-	-	-	+3700	-	-	28.28	RNP APCH
20	TF	CF1T1	34° 12' 17.320" S	024° 41' 26.930" E	-	IF	020 (351.72)	5	-	+2300	-	-	28.28	RNP APCH
10	IF	GENUB	34° 13' 02.000" S	024° 35' 29.210" E	-	IAF	-	-	-	+4800	-	-	28.28	RNP APCH
20	TF	CF1T1	34° 12' 17.320" S	024° 41' 26.930" E	-	IF	110 (81.72)	5	-	+2300	-	-	28.28	RNP APCH
10	IF	CF1T1	34° 12' 17.320" S	024° 41' 26.930" E	-	-	-	-	-	+2300	-	-	28.28	RNP APCH
20	TF	CF1F1	34° 11' 41.360" S	024° 46' 13.020" E	-	FAF	110 (81.68)	3.8	-	+1200	-	3.0°/50	28.28	RNP APCH
30	TF	RW10	34° 11' 14.273" S	024° 49' 47.552" E	Y	MAPT	110 (81.64)	3.2	-	@184	-	-	28.28	RNP APCH
40	FA	RW10	34° 11' 14.273" S	024° 49' 47.552" E	-	-	-	-	-	-	-	-	28.28	RNP APCH
50	DF	XABIS	34° 17' 14.470" S	024° 42' 20.940" E	-	-	-	-	-	+3700	-	-	28.28	RNP APCH
60	HM	XABIS	34° 17' 14.470" S	024° 42' 20.940" E	Y	MAHF	020 (351.72)	-	L	+3700	170	-	28.28	RNP APCH

RNAV HOLDING

FACILITY	INBOUND TRACK	MAX/MIN FL	FACILITY
XABIS 34° 17' 14.470" S 024° 42' 20.940" E	020°M/351.72°T	<u>3700</u>	Left hand racecourse pattern. 1 MIN Outbound leg. MAX 170KT IAS

