

INSTRUMENT APPROACH CHART FOR FACT RWY 01

Serial Number	Path Descriptor	Waypoint Identifier	LATITUDE	LONGITUDE	Fly-over	Fix	Turn Direction	Theta (M°)	OBD CRS (°)	OBD CRS Type	Time (Sec)	Distance (NM)	Altitude (FT)	Speed (KT IAS)	VPA/ TCH	Navigation Specification	Radius (NM)	RF Arc Centre Identifier	LATITUDE	LONGITUDE	Phase	Transition Identifier
10	IF	RIV	33°47'58.450"S	018°21'52.100"E	-	IAF	-	-	-	-	-	-	+6100	250	-	0.3	-	-	-	-	A	RIV
20	TF	CTS34	33°59'22.119"S	018°26'15.796"E	N	-	-	-	162.1	TT	-	11.948	+6100	-	-	0.3	-	-	-	-	A	RIV
30	TF	CTS32	34°04'25.332"S	018°28'13.145"E	N	-	-	-	162.1	TT	-	5.30	+4700	-	-	0.3	-	-	-	-	A	RIV
40	RF	CTS30	34°07'11.691"S	018°32'36.087"E	N	IF	L	187.13	92.38	TT	-	4.87	+3400	-	-	0.3	4	CTC16	34°03'11.474"S	018°32'48.062"E	A	RIV
50	RF	CTS28	34°06'54.371"S	018°34'36.368"E	N	FAF	L	117.38	67.98	TT	-	1.70	@3000	185	-	0.3	4	CTC16	34°03'11.474"S	018°32'48.062"E	A	RIV
60	RF	CTS00	34°02'10.180"S	018°37'27.341"E	N	-	L	92.979	345.2	TT	-	5.779	+1160	-	-3	0.3	4	CTC16	34°03'11.474"S	018°32'48.062"E	A	RIV
10	TF	RW01	33°59'15.846"S	018°36'32.013"E	Y	MAPT	-	-	345.2	TT	-	3.00	+205	-	-3	0.3	-	-	-	-	A	-
20	TF	CT402	33°55'10.138"S	018°35'14.162"E	N	-	-	-	345.2	TT	-	4.228	-	-	-	0.3	-	-	-	-	A	RIV
30	RF	CT406	33°49'55.038"S	018°29'13.898"E	N	-	L	10.215	287.5	TT	-	7.553	-	230	-	0.3	7.5	CTC07	33°57'04.923"S	018°26'31.139"E	A	RIV
40	TF	RIV	33°47'58.450"S	018°21'52.100"E	N	-	-	-	287.6	TT	-	6.43	+6100	-	-	0.3	-	-	-	-	A	RIV
50	HM	RIV	33°47'58.450"S	018°21'52.100"E	N	-	R	-	111	TT	60	-	+6100	230	-	NA	-	-	-	-	A	RIV

**RNAV (RNP) HOLDING**

Facility	Inbound Heading/Radial	MAX FL	Facility
RIV 33°47'58.450"S 018°21'52.100"E R334/15.7 DME CTV	135°M/R315 RIV	<u>FL140</u> 6100FT ALT	Right hand racecourse pattern. 1 Minute at or below FL140



**ENR HOLDING**

Facility	Inbound Heading/Radial	MAX FL	Facility
RIV 33°47'58.450"S 018°21'52.100"E R334/15.7 DME CTV	135°M/R315 RIV	<u>FL460</u> 6100FT ALT	Right hand racecourse pattern. 1 Minute at or below FL140 1 Minute 30 seconds above FL140

