

INSTRUMENT APPROACH CHART FOR FASS RWY 17

Serial Number	Path Descriptor	Waypoint Identifier	LATITUDE	LONGITUDE	Flyover	FIX	Course °M(°T)	Distance (NM)	Turn Direction	Altitude (FT)	Speed (KT IAS)	VPA/TCH	Magnetic Variation (°W)	Navigation Specification
10	IF	UVMAP	27°30'41.3969"S	022°49'30.3033"E	-	IAF	-	-	-	+6700	210	-	19.2	RNP APCH
20	TF	SS1T1	27°30'08.4972"S	022°55'05.6683"E	-	IF	103 (083.74)	5	-	+5500	210	-	19.2	RNP APCH
10	IF	TEVUD	27°25'38.7813"S	022°52'36.2826"E	-	IAF	-	-	-	+6700	210	-	19.2	RNP APCH
20	TF	SS1T1	27°30'08.4972"S	022°55'05.6683"E	-	IF	173 (153.72)	5	-	+5500	210	-	19.2	RNP APCH
10	IF	GADPA	27°26'30.9481"S	022°58'58.6274"E	-	IAF	-	-	-	+6700	210	-	19.2	RNP APCH
20	TF	SS1T1	27°30'08.4972"S	022°55'05.6683"E	-	IF	243 (223.67)	5	-	+5500	210	-	19.2	RNP APCH
10	IF	SS1T1	27°30'08.4972"S	022°55'05.6683"E	-	-	-	-	-	+5500	210	-	19.2	RNP APCH
20	TF	SS1F1	27°33'44.2664"S	022°57'05.2531"E	-	FAF	173 (153.72)	4	-	+5500	-	-	19.2	RNP APCH
30	TF	SS1MP	27°38'12.8643"S	022°59'34.2556"E	Y	MAPT	173 (153.72)	4.98	-	@3875	-	3.1'/50	19.2	RNP APCH
40	FA	SS1MP	27°38'12.8643"S	022°59'34.2556"E	-	-	-	-	-	+4160	-	-	19.2	RNP APCH
50	DF	GADPA	27°26'30.9481"S	022°58'58.6274"E	-	-	-	-	-	+6700	-	-	19.2	RNP APCH
60	HM	GADPA	27°26'30.9481"S	022°58'58.6274"E	Y	MAHF	243 (223.67)	-	R	+6700	230	-	19.2	RNP APCH

RNAV HOLDING

FACILITY	INBOUND TRACK	MAX/MIN FL	FACILITY
GADPA 27°26'30.9481"S 022°58'58.6274"E	243°M/223.67°T	6700'	Right hand racecourse pattern. 1 MIN Outbound leg. MAX 230KT IAS

