

INSTRUMENT APPROACH CHART FOR FAWB RWY 29

Serial Number	Path Descriptor	Waypoint Identifier	LATITUDE	LONGITUDE	Flyover	Fix	Course °M(°T)	Distance (NM)	Turn Direction	Altitude (FT)	Speed (KT IAS)	VPA/TCH	Magnetic Variation (°W)	Navigation Specification
10	IF	IMSOL	25°44'38.9037"S	028°23'33.6979"E	-	IAF	-	-	-	+9000	-	-	18.02	RNP APCH
20	TF	WB2T1	25°39'35.4134"S	028°22'42.3846"E	-	IF	009 (351.29)	5.50	L	+6600	160	-	18.02	RNP APCH
10	IF	TIKUT	25°35'04.8128"S	028°22'55.6400"E	-	IAF	-	-	-	+7000	-	-	18.02	RNP APCH
20	TF	WB2T1	25°39'35.4134"S	028°22'42.3846"E	-	IF	201 (182.54)	4.50	R	+6600	160	-	18.02	RNP APCH
10	IF	ETUPU	25°39'51.4503"S	028°29'20.2340"E	-	IAF	-	-	-	+9000	-	-	18.02	RNP APCH
20	TF	WB2T1	25°39'35.4134"S	028°22'42.3846"E	-	IF	291 (272.62)	5.10	-	+6600	160	-	18.02	RNP APCH
10	IF	WB2T1	25°39'35.4134"S	028°22'42.3846"E	-	IF	-	-	-	+6600	-	-	18.02	RNP APCH
20	TF	WB2F1	25°39'21.9515"S	028°17'10.5444"E	-	FAF	291 (272.54)	5.00	-	+5100	140	-3°/50	18.02	RNP APCH
30	TF	RW29	25°39'13.7765"S	028°13'51.5195"E	Y	MAPT	291 (272.54)	3.00	-	@4145	-	-	18.02	RNP APCH
40	FA	RW29	25°39'13.7765"S	028°13'51.5195"E	-	-	-	-	-	-	160	-	18.02	RNP APCH
50	DF	WB2M1	25°34'12.7356"S	028°17'28.2220"E	-	MATF	-	-	-	+6100	-	-	18.02	RNP APCH
70	TF	TIKUT	25°35'04.8128"S	028°22'55.6400"E	-	MATF	-	-	-	+7000	160	-	18.02	RNP APCH

