



AD 2.7 SEASONAL AVAILABILITY - CLEARING

1	<i>Types of clearing equipment</i>	NIL INFO AVBL
2	<i>Clearance priorities</i>	NIL INFO AVBL
3	<i>Remarks</i>	NIL

AD 2.8 APRONS, TAXIWAYS AND CHECK LOCATIONS/POSITIONS DATA

1	<i>Designation, surface and strength of aprons</i>	Grass LCN 12
2	<i>Designation, width, surface and strength of taxiways</i>	10.5 M, A TWY paved and all other TWY B, C and D grass
3	<i>ACL location and elevation</i>	Nil
4	<i>VOR checkpoints</i>	Nil
5	<i>INS checkpoints</i>	Nil
6	<i>Remarks</i>	Use of TWY restricted to aircraft with wingspan less than 24 M and main wheel span less than 6 M (Airport reference code 2B)

AD 2.9 SURFACE MOVEMENT GUIDANCE AND CONTROL SYSTEM AND MARKINGS

1	<i>Use of aircraft stand ID signs, TWY guide lines and visual docking / parking guidance system of aircraft stands.</i>	TWY designator signs for A, B, C & D TWY. Grass PRKG for GA ACFT- No markings Use of TWY restricted to ACFT with wingspan less than 24M and main wheel span less than 6M (A PREF Code 2B) Paved TWY'A' and HLDG PSN marked with ABV GND signs and SFC painted markings. All grass taxiways 'B', 'C', 'D' & HLDG PSN marked with appropriate ABV GND signs, & concrete marker inlays -no lines. Use of visual docking/PRKG guidance system of ACFT stands- None.
2	<i>RWY and TWY markings and LGT</i>	Edgelines. THR stripes, displaced THR, centerline & RWY designation identifier. Taxi signs on all taxi routes A, B; C & D. Paved TWY- edge lines & centerline. Grass TWY - intersection edge markings only- no lines.
3	<i>Stop bar</i>	Nil
4	<i>Remark</i>	Reflective TWY signs on all TWY non illuminated. Grass TWY Intersection points & HLDG points are marked with white concrete markers,

AD 2.10 AERODROME OBSTACLES

In Area 2					
OBST ID/ Designation	OBST type	OBST position	ELEV/HGT	Markings/type, colour	Remarks
a	b	c	d	e	f
NIL INFO AVBL	Observation tower	263025.8S 0282330.1E	15FT HGT	NIL	Red lights at night. 150M north of RWY 06/24 next to main windsock.

In Area 3					
OBST ID/ Designation	OBST Type	OBST position	ELEV/HGT	Markings/type, colour	Remarks
a	b	c	d	e	f
NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL	NIL

AD 2.11 METEOROLOGICAL INFORMATION PROVIDED

1	Associated MET office	NIL INFO AVBL
2	Hours of service MET office responsible outside hours	NIL INFO AVBL
3	Office responsible for TAF preparation and periods of validity	NIL INFO AVBL
4	Type of trend forecast and interval of issuance	NIL INFO AVBL
5	Briefing / consultation provide	NIL INFO AVBL
6	Flight documentation / language(s) used	NIL INFO AVBL
7	Charts and other information available for briefing or consultation	NIL INFO AVBL
8	Supplementary equipment available for providing information	NIL INFO AVBL
9	ATS units provided with information	NIL INFO AVBL
10	Additional information (limitation of service, e.t.c.)	NIL INFO AVBL



AD 2.12 RUNWAY PHYSICAL CHARACTERISTICS

<i>Designations RWY NR</i>	<i>TRUE & MAG BRG</i>	<i>Dimensions of RWY (M)</i>	<i>Strength (PCN) and surface of RWY and SWY</i>	<i>THR coordinates RWY end coordinates THR geoid undulation</i>	<i>THRelevation and highest elevation of TDZ of precision APP RWY</i>	<i>Slope of RWY-SWY</i>
1	2	3	4	5	6	7
06	43.8°T 61.8°M	1194 x 18.578	ASPH LCN 15	263037.27S 0282322.80E	1544.53M	1%
24	223.8°T 241.8°M	1194 x 18.578	ASPH LCN 15	263009.29S 0282352.66E	1541.17M	1%
<i>SWY dimensions (M)</i>	<i>CWY dimensions (M)</i>	<i>Strip dimensions (M)</i>	<i>RESA dimensions (M)</i>	<i>Location (which runway end) and description of arresting system (if any);</i>	<i>OFZ</i>	<i>Remarks</i>
8	9	10	11	12	13	14
0	143.69	NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL	NIL	See below
0	297.92	NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL	NIL	See below
Remarks: Caution wind shear RWY 06						

AD 2.13 DECLARED DISTANCES

<i>RWY</i>	<i>TORA (M)</i>	<i>TODA (M)</i>	<i>ASDA (M)</i>	<i>LDA (M)</i>	<i>Remarks</i>
1	2	3	4	5	6
06	1194	1337.69	1194	1194	Displaced THR permanently closed.
24	1194	1491.92	1194	1194	

AD 2.14 APPROACH AND RUNWAY LIGHTING

<i>RWY Designator</i>	<i>APCH LGT Type, LEN and INTST</i>	<i>THR LGT Colour and WBAR</i>	<i>VASIS (MEHT) PAPI</i>	<i>TDZ, LG T LEN</i>	<i>RWY Centre Line LGT LEN, spacing, colour, INTST</i>	<i>RWY Edge LGT, LEN, Spacing, Colour, INTST</i>	<i>RWY End LGT Colour and WBAR</i>	<i>SWY LGT LEN (M) colour</i>	<i>Remarks</i>
1	2	3	4	5	6	7	8	9	10
06	NIL	Green	NIL	NIL	NIL	White 60M	Red	NIL	Solar
24	NIL	Green	NIL	NIL	NIL	White 60M	Red	NIL	Solar

AD 2.15 OTHER LIGHTING, SECONDARY POWER SUPPLY

1	ABN/IBN location, characteristics and hours of operation	NIL
2	LDI location & LGT and anemometer location and LGT	NIL
3	TWY edge and centre line lighting	TWY A blue LGT only to HLDG point.
4	Secondary power supply and switch-over time	Solar LGT
5	Remarks	Main Wind Sock Lit up with red obstruction light.

AD 2.16 HELICOPTER LANDING AREA

1	Coordinates TLOF or THR of FATO / Geoid undulation	263022.24S 282316.97E
2	TLOF / FATO elevation (m/ft)	NIL INFO AVBL
3	TLOF and FATO area dimensions, surface, strength, marking	NIL INFO AVBL
4	True BRG of FATO	NIL INFO AVBL
5	Declared distance available	NIL INFO AVBL
6	APP and FATO lighting	NIL INFO AVBL
7	Remarks	The helipad is restricted to medical evacuation and medical emergency SER (EMS) use only. Maximum rotor diameter 12.8M. Maximum helicopter weight limited to 3650 KG.

AD 2.17 ATS AIRSPACE

1	Designation and lateral limits	NIL
2	Vertical limits	NIL
3	Airspace classification	NIL
4	ATS unit call sign Language(s)	NIL
5	Transition altitude	NIL
6	Remarks	NIL