

Service/transaction
Skill test report for
PPL (A)

Section/division: Telephone number: **Aviation Personnel Standards** 

**011-545-1000** Fax Number: 011-545-1459

Physical address: Ikhaya Lokundiza, 16 Treur Close, Waterfall Park, Bekker Street, Midrand, Gauteng
Postal address: Private Bag X73, Halfway House 1685

W

Private Bag X/3, Haitway i	10use 1685	www.caa.co.za	
DETAILS OF BANK ACCOU	NT FOR PAYMENT OF PRESCRIBED	FEE	
Branch: Brooklyn, Pretoria	Branch Code: 011245	Account Number: 013007971	
COMPULSORY CLIENT PAYME	NT CODE (to be completed on depo	osit slip)	
Over the counter payments		EFT, Internet, Wire, Electronic payments	

Form Number: CA 101-03.3

# SKILLS TEST OR COMPETENCY CHECK FOR REMOTE PILOT LICENCE AEROPLANE / HELICOPTER / MULTI ROTOR

### NOTES:

- 1. This form must be submitted within 30 days of the completion of the skills test or revalidation, as applicable.
- In the case of an initial skills test, this form must be accompanied by the application form CA101-01.0.
- 3. For this form to be accepted by the SACAA, each page must be completed in full and must be initialled by BOTH the examiner and the candidate with the exception of the signature page.
- **4.** Any alteration to the test/check details, grading, observation(s) or any date must be initialled by the examiner. Any other alteration must be initialled by the candidate.

alterat	ion must be	initialled by the ca	andidate.									
Initial skills	test		Revali	idation								
Details of (	Candidate											
Surname					Initial(s)							
License Nu	mber				Phone nur	nber						
				1						-		
Test/check	details				ate of test 1	-						
		1		D	Date of test 2 (dd/mm/yyyy)							
Examiner to check		Training certificate from manufacturer			Exam	ination pa	assed prior to te	est				
					Letter of re	commen	dation (initial te	st only	')			
		Licence				Log	book					
			R	PAS Type Tr	aining Cou	rse						
Name of Course												
Organisation	n											
RPAS Type												
RPAS Weig	ht											
Date of Con	npletion											
			RP.	AS Aeronaut	ical Experie	ence						
		RPAS o	perating ex	perience			Re	mark	s			
Enter h	nours											
					•							
Test/	Briefing		Flight		De-brief		Outco	me	С		NC	
Check 1 Test/	Time Briefing		Time Flight		Time De-brief							
Check 2	Time		Time		Time		Outco	me	С		NC	
Remarks				I		I			<u> </u>		1	

Note to the examiner and candidate						
a. Abbreviations						
С	Competent	NYC	Not yet competent	I	Initial skills test	
R	Revalidation	<b>+</b>	Mandatory aspect	NA	Not assessed	

- b. A person is competent if he or she demonstrates a combination of skills, knowledge and attitudes to perform a task to the prescribed standard
- c. Airmanship means consistent use of good judgement and well-developed knowledge, skills and attitudes to accomplish flight objectives.
- d. The candidate must demonstrate competency in all aspects of the ground evaluation section prior to proceeding with the practical test.
- e. The candidate may use all available automation and avionics unless otherwise specified by the examiner.
- f. The candidate shall use the standard operating procedures (SOP) and checklist applicable to the aircraft.
- g. When applying the following 4-point scale, the examiner must award the mark that best describes the weakest aspect(s) applicable to the candidate's performance.

### **EXPLANATION OF 4-POINT SCALE**

#### 4 = Excellent standard

Performance remains well above the minimum required standard.

- Aircraft handling is smooth and precise.
- Technical skills and knowledge exceed the required level of competency.
- Behaviour indicates continuous and highly accurate situational awareness.
- Flight management skills are excellent.
- Safety of flight is assured. Risk is well managed.

### 3 = Meets SACAA expected standards

Minor deviations from the minimum required standard occur and performance remains within prescribed limits.

- Performance meets the recognised standard yet may include deviations that do not detract from the overall performance.
- Aircraft handling is positive and within specified limits.
- Technical skills and knowledge meet the required level of competency.
- Behaviour indicates that situational awareness is maintained.
- Flight management skills are effective
- Safety of flight is maintained. Risk is acceptably managed.

### 2 = Below SACAA expected standards

Occasionally, major deviations from the minimum required standard occur, which may include momentary excursions beyond prescribed limits but these are recognized and corrected in a timely manner.

- Performance includes deviations that detract from the overall performance, but are recognized and corrected within an acceptable time frame.
- Aircraft handling is performed with limited proficiency and/or includes momentary deviations from specified limits.
- Technical skills and knowledge reveal limited technical proficiency and/or depth of knowledge.
- Behaviour indicates lapses in situational awareness that are identified and corrected.
- Flight management skills are effective but slightly below standard.
  Safety of flight is not compromised. Risk is poorly managed.
- Salety of hight is not compromised. Nisk is pot

### 1 = Not Yet competent

Unacceptable deviations from the minimum required standard occur, which may include excursions beyond prescribed limits that are not recognized or corrected in a timely manner.

- Performance includes deviations that adversely affect the overall performance, are repeated, have excessive amplitude, or
  for which recognition and correction are excessively slow or non-existent, or the aim of the task was not achieved.
- Aircraft handling is rough or includes uncorrected or excessive deviations from specified limits.
- Technical skills and knowledge reveal unacceptable levels of technical proficiency and/or depth of knowledge.
- Behaviour indicates lapses in situational awareness that are not identified or corrected.
- Flight management skills are ineffective.
- Safety of flight is compromised. Risk is unacceptably managed.

- h. Mandatory aspects may be waived if deemed unsafe or if not applicable to the aircraft in which the test is conducted.
- i. If the examiner selects NA, he or she must motivate the decision on the observations page.
- j. Should the candidate achieve a **2** in any aspect, he or she must be re-assessed **once** in that aspect during the same flight and the examiner must indicate the new grading (1, 3 or 4).
- k. This form will not be accepted if an aspect graded with a 2 is not re-assessed and re-graded.
- I. Should the candidate achieve a grading of **1**, in 4 or less aspects, he or she must undergo remedial training as prescribed in the SACAR and must be re-assessed **once** in those aspects using the same form. This form must remain in the possession of the ATO until a re-assessment is conducted.
- m. Should the candidate wish to be re-assessed by another examiner, the latter examiner shall liaise with the examiner who conducted the first test.
- n. Should the candidate achieve a grading of **1**, in 5 aspects, the test shall immediately be discontinued and the candidate must undergo remedial training as prescribed in the SACAR.
- o. The entire test must then be repeated using a new form. A copy of the old form shall be sent to the SACAA Testing Standards Section of the SACAA.
- p. The examiner must write comments on the observations page whenever an aspect is marked as 1.
- q. Should any aspect in sections **8** (Multi-pilot operation) or **9** (Airmanship) be assessed as "**NYC**", the entire test must be repeated using a new form and the examiner must send a copy of the old form to the Testing Standards Section of the SACAA.
- r. Typical areas of unsatisfactory performance and grounds for assigning a 1 are:
  - 1. any action or lack of action by the applicant that requires corrective intervention by the examiner to maintain safe flight.
  - 2. consistently exceeding the tolerances suggested below.
  - 3. failure to take prompt corrective action when tolerances are exceeded.
    - 4. doubt regarding the successful outcome of an aspect.
- s. The tolerances suggested below refer to transient and not continuous flight path excursions; allowance for turbulence must be made.

Recommended tolerance	es					
Aeroplane		Multi-rotor/ Helicopter				
Height	Within 10% of height above ground	Height	Within 10% of height above ground			
Direction	Within 20 degrees of assigned direction	Direction	Within 10 degrees of assigned direction			
Rate of direction change	Steady rate while maintaining height and steady bank angle	Hover stability	Stable hover with minimal control input within 1 meter radius			
Take off	Stable after lift- off control inputs	Take off Stable lift- off	with fixed directional control			
Landing	Stable approach with limited bank and pitch changes	Vertical Landing	Stable approach to landing area with a continuous descent on a nominated landing spot			

## Section 1: Ground evaluation

	As	pects	С	NYC
1	<b>→</b>	CAR/CATS, AIP, SUPPLEMENTS, AICs, NOTAMs and completion of ATS flight plan		
2	<b>→</b>	Interpretation of weather reports, forecasts and charts		
3	¥	Flight planning, aircraft performance and charts (SID,STAR, APP and en-route)		
4	¥	All weather operations		
5	<b>†</b>	Technical knowledge of aircraft (POH, AFM as applicable)		
6	¥	En-route navigation preparation and preparation of IFR navigation log		•

# Section 2: Pre-flight Operations

	Aspects						
1	<b>→</b>	Pre-flight inspection, take-off data, passenger briefing		1	2	3	4
2	¥	Pre-start, start and after start procedures	NA	1	2	3	4
3	¥	QNH set, flight instruments and navigation aids set and checked		1	2	3	4
4	¥	Taxi and aerodrome procedures	NA	1	2	3	4
5	<b>→</b>	Take-off briefing (RTO, EFATO, DEP, and Threat mitigation)		1	2	3	4

# Section 3: Take-off and climb procedures

	Ası	pects				
1	¥	Take-off technique (T/O roll, speeds, rotation, transition to instruments)	1	2	3	4
2	<b>→</b>	Initial climb-out (speed and direction), after take-off checks and en route climb including altimeter setting procedures (if applicable)	1	2	3	4
3	<b>→</b>	Climb profile	1	2	3	4

## Section 4: Descent, Arrival and landing Procedures

	As	pects				
1	<b>*</b>	Approach Pattern	1	2	3	4
2	+	Quality of landing	1	2	3	4

# Section 5: Flight Manoeuvres Items applicable to Aeroplane

	As	pects					
1	<b>+</b>	→ Turns while maintaining altitude		1	2	3	4
2	<b>†</b>	→ Speed changes while maintaining altitude		1	2	3	4
3	¥	Horizontal figure 8	NA	1	2	3	4
4	<b>→</b>	Stalls	NA	1	2	3	4
5	<b>+</b>	Spin recovery (if approved for type)	NA	1	2	3	4

# Section 6: Flight Manoeuvres Items applicable to RPA Helicopter

	As	pects				
1	<b>→</b>	Tail-in Hover	1	2	3	4
2	<b>→</b>	Tail-in hover squares and circles	1	2	3	4
3	<b>→</b>	Tail-in hover Horizontal figure 8	1	2	3	4
4	<b>→</b>	Tail in hover vertical triangle	1	2	3	4
5	<b>→</b>	Transition for hover to forward flight and back to hover	1	2	3	4
6	<b>→</b>	Side on hover	1	2	3	4
7	<b>+</b>	Nose in hover	1	2	3	4

CA 101-03.3	06 February 2023	Page 4 of 6
-------------	------------------	-------------

# Section 7: Flight Manoeuvres Items applicable to RPA Multi-Rotor

		Aspects				
1	<b>→</b>	Tail-in Hover	1	2	3	4
2	<b>→</b>	Tail-in hover yawing slowly right and left	1	2	3	4
3	<b>†</b>	Tail-in hover moving right and left	1	2	3	4
4	<b></b>	Tail in hover moving forwards and backwards	1	2	3	4
5	<b></b>	Tail in hover climb and descend	1	2	3	4
6	<b></b>	Tail in hover vertical rectangle	1	2	3	4
7	<b></b>	Tail in hover horizontal rectangle	1	2	3	4
8	<b>†</b>	Nose in hover	1	2	3	4
9	<b>†</b>	Fly a square box rotating the MR in te direction of flight	1	2	3	4
10	<b>†</b>	From hover fly a circle rotating the MR nose-in the centre of the circle	1	2	3	4
11	<b>†</b>	Transition from hover to forward flight	1	2	3	4
12	<b>†</b>	Climbing and descending from level flight	1	2	3	4
13	<b>†</b>	Turns from level flight	1	2	3	4
14	¥	Speed control in level flight	1	2	3	4

Section 8: Abnormal / emergency procedures

	Aspects						
1	<b>→</b>	Engine Failure after lift off	1	2	3	4	
2	<b>+</b>	Engine failure approach to landing	1	2	3	4	
3	<b>+</b>	Lost link	1	2	3	4	
4	<b>+</b>	Autorotation – if applicable	1	2	3	4	

Section 9: Airmanship

	Aspects		С	NYC
1	<b>+</b>	Situational awareness and safety consciousness		
2	<b>+</b>	Use of checklist(s)		
3	<b>+</b>	Event/risk management processes and aeronautical decision making		
4	<b>+</b>	Flying skills, accuracy and smoothness		
5	<b>+</b>	RT procedures and proficiency, ATC liaison / compliance		
6	<b>+</b>	Compliance with regulations		
7	<b></b>	Flight management (fuel, engine considerations, etc.)		

Observations					

CA 101-03.3 Page 5 of 6
-------------------------

Details of examiner who ca	arried out test						
Licence Number		Phone number					
I certify that all sections and aspects were carried out and assessed by me as indicated above:							
SIGNATURE OF EX	AMINER	NAME IN BLOCK LETTERS		DATE			
Details of examiner who ca	arried out re-test	if applicable					
Licence Number		Phone number					
I certify that I re-assessed all the aspects as specified in the observation sheet:							
SIGNATURE OF EX	AMINER	NAME IN BLOCK LETTERS		DATE			
I certify that this form has not been altered or tampered with in any way whatsoever and all information on it is correct:							
SIGNATURE OF CAN	NDIDATE	NAME IN BLOCK LETTERS		DATE			
CIGHATORE OF CAL	IDIDATE	WANTE IN DEC		DAIL			