

 SACAA SOUTH AFRICAN CIVIL AVIATION AUTHORITY Keeping you safe in the sky Tel: +27 860 267 435 E-Mail: Clientcare@caa.co.za	REPUBLIC OF SOUTH AFRICA CIVIL AVIATION AUTHORITY Byls Bridge Office Park Doringkloof Centurion 0157	AIP SUPPLEMENT S072/26 03 SEPTEMBER 2026
---	---	--

JOHANNESBURG & CAPE TOWN FLIGHT INFORMATION REGIONS (FAJA & FACA)

AERODROME, AERODROME SERVICES AND FACILITIES STATUS

HAND AMENDMENTS TO CHARTS

✍ Indicates changes.

✍ This supplement replaces S063/26.

Validity Period: 03 September 2026 – 17 March 2027

FACT

1. HAND AMEND FACT AD-01 DATED 07 AUG 2025 AS FLW:
 - a. RWY 19 LIGHTING TO READ PALS CAT II.
 - b. PHYSICAL CHARACTERISTICS RWY 01 TODA TO READ 3530.
 - c. PHYSICAL CHARACTERISTICS RWY 01 CWY TO READ 329.
2. HAND AMEND FACT AD-07 CHART DATED 08 MAR 2012 AS FOLLOWS: MAG VAR TO READ 26 DEG W (2023).
3. HAND AMEND FACT ILS-01 RWY 01 CHART DATED 15 JUNE 2023 AS FLW:
 - a. REPLACE CAT III B WITH CAT III A AND B.
 - b. REPLACE DA(H) WITH NIL DA(H).

FAKM

1. HAND AMEND FAKM RNP-01 CHART DATED 27 NOVEMBER 2025 AS FLW: REMOVE FAOR CTR LABEL.

FAKN

1. HAND AMEND FAKN AD-01 CHART DATED 31 DEC 2020 AS FLW:

RWY 05 CWY DIMENSIONS TO READ 220.
 RWY 23 CWY DIMENSIONS TO READ 223.
 RWY 05/23 TODA (M) DIMENSIONS TO READ 3320.

FALA

1. HAND AMEND FALA ILS-01 ILS Z RWY 07 DATED 15 MAY 2025 AS FLW: ADD NOTE AS FLW: LEAVE 8000FT AT 14DME LAI.
2. HAND AMEND FALA RNP-01A CHART DATED 09 JUL 2026 ATTACHMENT TO S056/26 AS FLW: MISSED APPROACH SPEED AT UTRUK TO READ: -240.

FALE

1. HAND AMEND FALE RADAR TERRAIN CLEARANCE CHART RAD-01 DATED 02 OCT 2025 AS FLW:
1. WPT LABEL BTN R271 AND R001, 40 DME TGV TO 50 DME TGV, ISBEG TO READ IBSEG.
2. HAND AMEND FALE ILS-04 ILS Y RWY 24 CAT II DATED 02 OCT 2025 AS FLW: TRANSITION ALTITUDE, REPLACE 5000' WITH 5500'.
3. HAND AMEND FALE ILS-02 ILS Y RWY 06 CAT II DATED 02 OCT 2025 AS FLW:
ADD NOTE 2: LOC ONLY MAPT AT THR.
4. HAND AMEND BELOW FALE CHARTS AS FLW:
AD-01 CHART DATED 11 OCT 2018, ELEV TO READ 307FT
AD-02 CHART DATED 15 JUN 2023, ELEV TO READ 307FT.

FAOR

1. HAND AMEND BELOW FAOR AERONAUTICAL DATA TABULATION AS FLW:
ARR-08A RNAV (GNSS) RWY 03R DATED 15 MAY 2025 SPEED ON WAYPOINT OR371 TO READ -210.
ARR-19A RNAV (GNSS) RWY 21L DATED 15 MAY 2025 SPEED ON WAYPOINT OR386 TO READ -210.
ARR-22A RWY 21L DATED 15 MAY 2025 SPEED ON WAYPOINT OR369 TO READ -210.
ARR-23A RNAV (GNSS) RWY 03R DATED 15 MAY 2025 SPEED ON WAYPOINT OR392 TO READ -210.
ARR-25A RNAV (GNSS) RWY 21L DATED 15 MAY 2025 SPEED ON WAYPOINT OR384 TO READ -210.
ARR-18A RNAV (GNSS) RWY 21L DATED 17 APRIL 2025 SPEED ON WAYPOINT OR365 TO READ -210.
2. HAND AMEND FAOR ARR-18 RNAV (GNSS) RWY 21L DATED 17 APR 2025 SPEED RESTRICTION TO READ AS FLW:
1. MAX 250KTS IAS OR LESS APPLICABLE AT AVAGO.
2. MAX 210KTS IAS OR LESS APPLICABLE AT OR365.

FAPE

1. HAND AMEND FAPE ILS-02 RWY 26 CHART DATED 27 NOVEMBER 2025 AS FLW: REMOVE OBST ON FINAL APCH WITH ELEV 364.

FAPH

1. HAND AMEND AIP FAPH CHART AD-01 DATED 08 JULY 04 AS FLW: AMEND VASIS TO READ PAPI ON RWY 19 ONLY, 3 DEG LEFT HAND SIDE.

FARB

1. ✎ HAND AMEND FARB IAC VOR-03 VOR Z RWY 23 DATED 25 DEC 2025 AS FLW: MSA 25NM RBV VOR, CHANGE SECTOR 270DEG - 360DEG 2100' TO 2200'.

FASZ

1. HAND AMEND FASZ AD-01 DATED 06 DEC 2018 AS FLW: ADD SABI SANDS SPECIAL RULES FREQ 128.35 MHZ.

FAUL

1. HAND AMEND AIP AD FAUL CHART AD-01 DATED 08 JULY 04 AS FLW: SLOPE OF RWY-SWY RWY 05/23 0.78U/-0.78D SLOPE OF RWY-SWY RWY 02/20 1.92U/-1.92D THR ELEV RWY 05/23: 1680FT/1722FT THR ELEV RWY 02/20: 1660FT/1712FT AMEND VASIS TO READ PAPI AND INCLUDE RWY 23 PAPI 3.2 DEG L ADD UNDER RUNWAY AVAILABILITY COLUMN: THR RWY 20 DISPLACED BY 210M.

Note: Changes to this SUP will be issued via a NOTAM.

The following NOTAM is incorporated in this AIP SUP: F0127/26 and is hereby cancelled.

NOTAM originators remain responsible for any update to this supplement. ATSU will contact the AIP department on aim@atns.co.za. Other NOTAM originators to contact the SACAA AIS office on venterl@caa.co.za, pitsot@caa.co.za, nkosiv@caa.co.za and mongwes@caa.co.za.